


Freeform Search

| Database: | US Patents Full-Text Database US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins | | | | |
|---|--|--|--|--|--|
| Term: | 115 and acid | | | | |
| Display: 10 Documents in <u>Display Format</u> : CIT Starting with Number 1 Generate: O Hit List O Hit Count O Image | | | | | |
| *************************************** | Search Clear Help Logout Interrupt | | | | |
| | Main Menu Show S Numbers Edit S Numbers Preferences | | | | |
| Search History | | | | | |

Today's Date: 4/19/2001

| DB Name | Query | Hit Count | Set Name |
|-------------------------------|---|-----------|-----------|
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 17 and (nickel or nickel alloy) | 131 | <u>L8</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | l6 and (electrolyte or alkaline) | 219 | <u>L7</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 15 and cathode | 229 | <u>L6</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | l4 and support | 243 | <u>L5</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 12 and (particle size or particle diameter) | 430 | <u>L4</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 12 and particle size | 402 | <u>L3</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 11 and anode | 2462 | <u>L2</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | fuel cell and catalyst | 7240 | <u>L1</u> |



Search Results -

| Term | Documents |
|--|-----------|
| NICKEL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 277897 |
| NICKELS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 991 |
| ALLOY.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 463665 |
| ALLOYS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 143718 |
| (7 AND (NICKEL OR (NICKEL ADJ ALLOY))).USPT,PGPB,JPAB,EPAB,DWPI,TDBD. | 131 |

| | \$35500000000000000000000000000000000000 | | 95939696658999988866666666666666666 | |
|---------------------|---|---|-------------------------------------|---|
| 200 24 L - 12 w F | ~~~~ | Text Datal | | |
| | | 887) (#PL-1871) | 141514 | - |
| | ***** | | | *************************************** |
| mmat-m∞r | 7.40017.4.52 #1 | **** | | |
| 0000 X A X 45 800 J | | | uil-Text Dai | 21 <i>9</i> /21/21/2000 |
| | | | | |
| 2000 12 A 100 W | Abstracts E | | | |
| | | ALL CALLS | | |
| | | | | |
| mm now | Alestretets | | | |
| | | | | *************************************** |
| | | • | | *************************************** |
| | CIBLES INTERISCEN | Patents Incl | ~ ` | *************************************** |
| | en ann an a | Milania Marka Marka | 44 | *************************************** |
| | | | | |
| | (G) 94 11 ((9 6 1)) 9 | isclosure B | | _ |
| | narmanaththeithe | Rith Control Control Control Charlest Control | biaabidudidaa. | ···· |

Database:

Today's Date: 4/19/2001

| DB Name | Query | Hit Count | Set Name |
|-------------------------------|---|-----------|------------|
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 115 and acid | 7 | <u>L16</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 114 and alkaline | 8 | <u>L15</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 112 and oxidiz\$ | 9 | <u>L14</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 12 and oxidiz\$ | 965 | <u>L13</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 111 and leach\$ | 16 | <u>L12</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | hydrogen storage alloy | 3150 | <u>L11</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 18 and ((420/\$)!.CCLS.) | 2 | <u>L10</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | l8 and ((429/223)!.CCLS.) | 2 | <u>L9</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 17 and (nickel or nickel alloy) | 131 | <u>L8</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | l6 and (electrolyte or alkaline) | 219 | <u>L7</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 15 and cathode | 229 | <u>L6</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | l4 and support | 243 | <u>L5</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 12 and (particle size or particle diameter) | 430 | <u>L4</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | 12 and particle size | 402 | <u>L3</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | ll and anode | 2462 | <u>L2</u> |
| USPT,PGPB,JPAB,EPAB,DWPI,TDBD | fuel cell and catalyst | 7240 | <u>L1</u> |

For pci @ pci/uso1/08565.